Milton Rank	Project Name	Project Description	Total Cost	Amount filed for grants	Status	LMS Points
1	Firehouse	The existing Milton Fire House is old and in poor condition. The facility is inadequate to house the existing fire fighting equipment and fronts directly on Bruner Street. The structure is a two story building located in flood zone B with the first floor at grade. The facility was built in 1962 and consists of two back in apparatus bays. In the 70's and early 80's additions were made by members of the department adding a third bay, a shop and a second floor class room. The existing structure does not meet the newer codes established in recent years. This facility houses the entire operation of the City of Milton Fire Department. With the space limitations, both in land and building, storage of some operational equipment has been shifted to storage in a shed or outdoors.	\$ 3,000,000			51
2	Keyser Street/Elva Street	The project includes the correction of stormwater problems (street flooding), undersized water service problems, inadequate fire protection, sanitary sewer problems and gas main upgrades. It is proposed to remove and replace the existing roadway, drainage and utilities with new infrastructure. Project includes new pavement, stormwater collection and treatment, potable water distribution, sanitary sewer collection and gas distribution. Potable water and fire protection improvements are proposed CDBG projects.	\$ 471,250	\$ 471,250	filed with CDBG, approved, work begun. Also filed with HMGP for further work	13
3	Police Department Shutters	Provide storm shutters; replace 3 exterior doors with tempered glass hurricane coating; replace the conference room door with a steel door. This is an emergency staging building for city workers to respond to disasters within the Milton utility service area.	\$ 9,000	\$ 16,000	filed with HMGP	42
4	Patterson Town Sanitary Sewer	Remove existing vacuum sewer system and replace with a master lift station and gravity sanitary sewer collection system.	\$ 3,000,000			37
5	Public Works Building Hardening/Generator	Provide a natural gas powered electric generator and switching equipment to provide electric power during Gulf Power outages. This facility is an emergency staging building for city workers ans may be used as a shelter for employee families during emergencies.	\$ 45,000	\$ 45,000	filed with CDBG, approved, work begun	30
6		Addition of storm shutters for the City's Public Works Building. This facility is essential to the City's response after an event.	\$ 30,000	\$ 30,000	filed with CDBG, approved, work begun	

1 3/31/20068:35 AM

Milton, FL Mitigation Initiatives

Milton Rank	Project Name	Project Description	Total Cost	Amount filed for grants	Status	LMS Points
7	Sanitary Sewer Liftstations (15 liftstations - generators	Provide emergency electrical power to operating liftstations during Gulf Power electrical outages. Lack of electric power allows lifts stations to fill & overflow creating a major health hazard. Health hazards of this type have subjected the city to FDEP fines and clean-up requirements. The liftstation pumps require electric power to operate, to mitigate the problem requires an alternate source of electrical power. Natural gas supplied to the generators at the liftstations would provide the alternate power source.	\$ 375,000	\$ 435,000	filed with CDBG, approved, work begun	42
8	Water Well chlorine alarm (5 wells)	The City's 5 potable water wells have chlorine dispensing systems. Chlorine is considered a hazardous material and therefore the well sites are considered hazardous material sites. There are currently no alarm systems in place to alert City personnel or the surrounding population of a hazardous material spill from these sites. FDEP has noted thia as an issue in its monotoring report. The installation of an alarm would reduce the potential health and safety dangers that currently exist.		\$ 15,000	filed with CDBG, approved, work begun	35
9	Quick disconnects for city traffic signals	Project proposes to provide 17 traffic lights within the city limits to have quick connection / disconnects installed so that portable generators can be installed to power the traffic lights. Hurricane and other hazards / disasters cause power outages making passage through controlled intersections dangerous. This is especially evident during evacuations and recovery operations. The ability to connect the traffic lights to a source of power will restore operation of the traffic signals.	\$ 65,000	\$ 65,000	filed with CDBG, approved, work begun	36
10	Byrom St. Potable Water Well & Hospital Well (generators & bldg repairs)	Provide natural gas powered generators and associated electrical system upgrades to operate the well pumps, lights and chemical feed equipment and both well sites. The hospital well also requires some building and fence repairs to insure site security. Byrom Street well estimate \$65,000; Hospital well estimate \$95,000.	\$ 160,000	\$ 160,000	filed with CDBG, approved, work begun	30
11	Upgrade Water System for Fire Protection	There are many potable water lines within the City of Milton water service area that are of inadequate capacity to provide fire protection. In some places within the water system there is an inadequate number of fire hydrants for the heavily populated areas. This mitigation measure will include upgrading potable water lines to proper size for fire protection as well as adding the additional hydrants needed to provide adequate fire protection.	\$ 567,000	\$ 35,500	some filed with CDBG, approved, work begun, remainder needs to be completed	29

2 3/31/20068:35 AM

Milton, FL Mitigation Initiatives

Milton Rank	Project Name	Project Description	Total Cost	Amount filed for grants	Status	LMS Points
12	Sanders Street Upgrade	Construct a stormwater collection system to address problems at W. H. Rhodes Elementary school, Sanders Street Park and College Park Subdivision. Project to include replacement of all utilities, stormwater collection system, curbs & gutters, asphalt pavement and purchase of right-ofway.	\$ 1,300,000	\$ 451,000	filed with HMGP	36
13	Berryhill Area Fire Protection (new water tank)		\$ 500,000			
14	East Milton Sewage Treatment	The new facility would enable the expansion of the existing sanitary sewer system and thereby eliminate the need for additional septic tanks. Existing septic tanks could be eliminated. Existing septic tanks are old and not working as designed. Systems that do not function properly discharge raw sewage into area rivers and bays causing a biohazard to area residents and animal life.	\$ 10,000,000			14
15	Donair	The existing earthen dam has been damaged by previous storms. The dam structure has been weekened and the lake has been inudated with silt. The project proposes to repair the dam facility and spillway to control stormwater and dredge the lake to remove accumulated silt and resore the lake to a biologically stable facility.	\$ 1,250,000	\$ 700,000	filed with HMGP, partial funding through another source	28
16	Generators for traffic signals	The project is to include 17 portable gasoline generators sufficient in capacity to operate traffic lights at controlled intersections. Intersections become dangerous during events that create power outages. The proposed generators will provide an alternate source of power to restore traffic signals during evacuation and recovery operations. This project needs to be coordinated with the Traffic Signal Quick Disconnect project.	\$ 65,000			39
17	Comprehensive Stormwater Development Plan Update	Update and upgrade the existing 1990 Comprehensive Stormwater Development Plan to include annexed areas since 1990 and GPS Mapping of the System.	\$ 200,000			35
18	Broad Street Drainage	This project has been on the Stormwater Committee agenda for many years. Replacing the undersized drainage pipe system to handle a 25-year storm event. This project will correct the flooding of streets and adjacent properties for storm events up to a 25-year storm.	\$ 300,000			30
19	Police Department Site Security	Provide hazard material response from Police Dept. and provide sufficient cones and barricades to limit access to the area.	\$ 51,750			17

3 3/31/20068:35 AM

Milton, FL Mitigation Initiatives

Project Name	Project Description	Total Cost	Amount filed for grants	Status	LMS Points
Russell Harber Landing Dirt Road	This roadway is less than 2 feet above the normal river elevation. During storm events the roadway is flooded and the dirt / clay road is washed into the river. While mitigation measures are proposed to occur during the park renovations, the 1300 L.F. dirt roadway will need to be eliminated.	\$ 100,000			34
Alabama St./Collins Mill Creek Box Culvert	Improve the existing box culvert under Alabama Street to minimize local flooding along Alabama Street during heavy rain events.	\$ 300,000			33
Alabama St. Watershed – Drainage study & facility		\$ 300,000			
Clayton Lane/Park Lane	Provide new storm drain pipe (existing is crushed), 1500 L.F. street paving, curb & gutter, and relocate utilities.	\$ 80,000			20
Combs Street/Henry Street	Construct new stormwater pipe system to provide positive drainage of stormwater runoff from large storm events (25 year +) which cause flooding of Canal Street, Combs Street and adjacent private property.	\$ 100,000			22
Locklin Lake/Byrom Street Drainage	Armor the shoreline at Locklin Lake in the vacinity of the 54" diam. stormwater system discharge pipe which serves the Byrom Street watershed. The project will stop shoreline erosion and prevent silting of the lake and loss of private property in the area.	\$ 200,000			22
Westwood & Easy Street Storm Drainage	The drainage ditch needs to be gravel bottom type and the asphalt pavement needs to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be replaced so that this aea can drain to Westwood. Project will benefit 400 people and prevent flooding property in the area.	\$ 50,000			23
East Grace Street Drainage	Construct a stormwater management system consisting of ditches, pipes and inlets to control stormwater runoff and eliminate erosion problems	\$ 100,000			20
Conecuh Street Bridge Replacement	Replace the existing wooden bridge with a concrete structure	\$ 500,000			18
Police Department Communication	Provide communications capacity between vehicles and personnel - inter city and inter agency.	\$ 210,000			22
Acquisition/Elevation/ Relocation of Flood Prone Structures	There are homes and businesses along Blackwater River which flood during heavy rain events. Each location would need to be evaluated on a case by case basis to determine the appropriate solution to limit flood damage.	\$ 1,000,000			26
	Russell Harber Landing Dirt Road Alabama St./Collins Mill Creek Box Culvert Alabama St. Watershed – Drainage study & facility Clayton Lane/Park Lane Combs Street/Henry Street Locklin Lake/Byrom Street Drainage Westwood & Easy Street Storm Drainage East Grace Street Drainage Conecuh Street Bridge Replacement Police Department Communication Acquisition/Elevation/ Relocation of Flood	Russell Harber Landing Dirt Road This roadway is less than 2 feet above the normal river elevation. During storm events the roadway is flooded and the dirt / clay road is washed into the river. While mitigation measures are proposed to occur during the park renovations, the 1300 L.F. dirt roadway will need to be eliminated. Alabama St./Collins Mill Creek Box Culvert Alabama St. Watershed Drainage study & facility Clayton Lane/Park Lane Provide new storm drain pipe (existing is crushed), 1500 L.F. street paving, curb & gutter, and relocate utilities. Combs Street/Henry Street Construct new stormwater pipe system to provide positive drainage of stormwater runoff from large storm events (25 year +) which cause flooding of Canal Street, Combs Street and adjacent private property. Armor the shoreline at Locklin Lake in the vacinity of the 54" diam. stormwater system discharge pipe which serves the Byrom Street watershed. The project will stop shoreline erosion and prevent silting of the lake and loss of private property in the area. Westwood & Easy Street Storm Drainage The drainage ditch needs to be gravel bottom type and the asphalt pavement needs to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be replaced so that this aea can drain to Westwood. Project will benefit 400 people and prevent flooding property in the area. East Grace Street Drainage Construct a stormwater management system consisting of ditches, pipes and inlets to control stormwater runoff and eliminate erosion problems Conecuh Street Bridge Replacement Communication Acquisition/Elevation/ Relocation of Flood There are homes and businesses along Blackwater River which flood during heavy rain events. Each location would need to be evaluated on a case by	Russell Harber Landing Dirt Road Strome events the roadway is flooded and the dirt / clay road is washed into the river. While mitigation measures are proposed to occur during the park renovations, the 1300 L.F. dirt roadway will need to be eliminated. Alabama St./Collins Mill Creek Box Culvert Indoding along Alabama Street during heavy rain events. Improve the existing box culvert under Alabama Street to minimize local flooding along Alabama Street during heavy rain events. \$ 300,000 Clayton Lane/Park Lane Provide new storm drain pipe (existing is crushed), 1500 L.F. street paving, curb & gutter, and relocate utilities. Combs Street/Henry Street/Henry Street When Indode and adjacent private property. Armor the shoreline at Locklin Lake in the vacinity of the 54° diam. stormwater system discharge pipe which serves the Byrom Street watershed. The project will stop shoreline erosion and prevent silting of the lake and loss of private property in the area. Westwood & Easy Street Storm Drainage Westwood & Easy Street Storm Drainage East Grace Street Construct a stormwater management system consisting of ditches, pipes and release to the raised 6 inches to 1 foot and 200 L.F. of curbing needs to be replaced so that this asea can drain to Westwood. Project will benefit 400 people and prevent flooding property in the area. East Grace Street Drainage Construct a stormwater management system consisting of ditches, pipes and release to control stormwater runoff and eliminate erosion problems Replace the existing wooden bridge with a concrete structure \$ 500,000 Provide openarment control flood There are homes and businesses along Blackwater River which flood during heavy rain events. Each location would need to be evaluated on a case by \$ 1,000,000	Russell Harber Landing Dirt Road Russell Harber Landing Dirt Road This roadway is less than 2 feet above the normal river elevation. During storm events the roadway is flooded and the dirt / clay road is washed into the renovations, the 1300 L.F. dirt roadway will need to be eliminated. Alabama St./Collins Mill Creek Box Culvert Improve the existing box culvert under Alabama Street to minimize local flooding along Alabama Street during heavy rain events. Improve the existing box culvert under Alabama Street to minimize local flooding along Alabama Street during heavy rain events. Alabama St. Watershed — Provide new storm drain pipe (existing is crushed), 1500 L.F. street paving, curb & gutter, and relocate utilities. Clayton Lane/Park Lane Construct new stormwater pipe system to provide positive drainage of stormwater runoff from large storm events (25 year +) which cause flooding of Canal Street, Combs Street and adjacent private property. Armor the shoreline at Locklin Lake in the vacinity of the 54° diam, stormwater system discharge pipe which serves the Byrom Street watershed. The project will stop shoreline erosion and prevent sitting of the lake and loss of private property in the area. Westwood & Easy Street Storm Drainage The drainage ditch needs to be gravel bottom type and the asphalt pavement needs to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be eplaced so that this aea can drain to Westwood. Project will benefit 400 people and prevent flooding property in the area. East Grace Street Construct a stormwater management system consisting of ditches, pipes and nlets to control stormwater runoff and eliminate erosion problems \$ 50,000 Conecut Street Bridge Replacement Police Department Communication Acquisition/Elevation/ Relocation of Flood There are homes and businesses along Blackwater River which flood during heavy rain events. Each location would need to be evaluated on a case by \$ 1,000,000	Russell Harber Landing Dirt Road street. Under the street provide new storm drain pipe (existing is crushed), 1500 L.F. street paving, Street VHenry Street VHenry Street Drainage storm events Street and adjacent private property. Amort be shoreline at Locklin Lake in the value of the lake and loss of private property in the area. The drainage ditch needs to be gravel bottom type and the asphalt pavement peeds to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be people and prevent flooding property in the area. The drainage ditch needs to be gravel bottom type and the asphalt pavement needs to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be people and prevent flooding property in the area. The drainage ditch needs to be gravel bottom type and the asphalt pavement needs to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be gravel broad and inter agency. Conecut Street Bridge Replacement Police Department Communication Provide communications capacity between vehicles and personnel - inter city and inter communication The rear homes and businesses along Blackwater River which flood during heavy rain events. Each location would need to be evaluated on a case by \$1,000,000 Total Cost for grants Total Cost (a sea proposed to occur during the disk above the normal fiver elevation. During the dail was bashed into the \$100,000 Total Cost (a sea proposed to occur during the park renovations, the 1300,000 property in the area. The drainage ditch needs to be gravel bottom type and the asphalt pavement needs to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be \$50,000 The drainage ditch needs to be gravel bottom type and the asphalt pavement needs to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be \$50,000 Total Cost Total Capacity and the sphalt pavement needs to be raised 6 inches to 1 foot and 200 L.F. of curbing needs to be \$50,000 The drainage of the total town type and the asphalt pavement needs to be raised 6 inches to Westwood.

Total Milton \$ 24,341,000